claims and drawings, in accordance with CFR 1.215(c), for purposes of publication. No new matter is being introduced with the new submission of the substitute specification.

Therefore, please approve the amendments to the application as follows:

In the Drawings:

Please approve the amendments to FIGS. 1, 3, 7-12, 14-15 and 19-20 submitted herewith in redline. Also submitted herewith are seven (7) sheets of formal drawings, in their entirety incorporating the redline amendments thereto as shown in the red-line drawings.

In the Claims:

Please cancel claim 3.

Please amend claims 1-2, 4-5, and 7-25 submitted below in a clean version of the amended claims pursuant to 37 CFR 1.121(c)(1)(i), as follows:

1. (Once Amended) A preformed sleeve for covering a pot having an upper end, a lower end, and an outer peripheral surface, comprising:

a base portion having an upper end, a lower end, and an interior space when opened, the base portion initially having a flat condition prior to being

opened for receiving the pot into the interior space and having a tapered shape when in the flat condition;

- a skirt portion extending from the upper end of the base portion; and
- a plurality of substantially unconnected, vertically oriented, expandable folds in the base portion, and wherein when the pot is disposed within the interior space of the base portion and pressure is exerted on the base portion by the pot, the expandable folds in the base portion expand to cause the base portion to cover and surround the outer peripheral surface of the pot.
- 2. (Once Amended) The preformed sleeve of claim 1 further comprising an upper portion extending from the skirt portion and detachable therefrom via a detaching element therein.

(Once Amended) The preformed sleeve of claim 1 further defined as constructed from a material having a thickness in a range of from about 0.1 mil to about 30 mils.

(Once Amended) The preformed sleeve of claim 1 further defined as constructed from a material having a thickness in a range of from about 0.5 mil to about 10 mils.

3

(Once Amended) The preformed sleeve of claim 1 further defined as constructed from a material selected from the group consisting of treated or untreated paper, metal foil, polymeric film, non-polymeric film, cardboard, fiber, cloth, burlap, and laminations or combinations thereof.

(Once Amended) The preformed sleeve of claim 1 wherein the plurality of expandable folds are selected from the group consisting of pleats, folds each having a z-shaped cross section, or accordion-type folds.

(Once Amended) The preformed sleeve of claim 1 further comprising a portion for serving as a handle or support device.

10. (Once Amended) The preformed sleeve of claim 1 wherein the base portion has a drainage hole.

17. (Once Amended) The preformed sleeve of claim 1 wherein the plurality of folds are continuous between the base portion and the skirt portion.

12. (Once Amended) The preformed sleeve of claim 1 wherein the lower end of the base portion is closed.

13. (Once Amended) A preformed sleeve for covering a pot having an upper end, a lower end, and an outer peripheral surface, comprising:

- a lower portion having an upper end, a lower end having a bottom, and an interior space when opened, the lower portion initially having a flat condition prior to being opened for receiving the pot into the interior space and having a tapered shape when in the flat condition
- an upper portion extending from the lower portion and which detachable therefrom via a detaching element; and
- a plurality of substantially unconnected vertically oriented, expandable folds in the lower portion and wherein when the pot is disposed within the interior space of the lower portion and pressure is exerted on the lower portion by the pot, the expandable folds in the lower portion expand to cause the base portion to cover and surround at least a portion of the outer peripheral surface of the pot.

- (Once Amended) The preformed sleeve of claim 13 wherein the upper portion is further defined as being sized to substantially surround and enclose a floral piposed within the pot.
- 15. (Once Amended) The preformed sleeve of claim 13 further defined as constructed from a material having a thickness in a range of from about 0.1 mil to about 30 mils.
- 16. (Once Amended) The preformed sleeve of claim 13 further defined as constructed from a material selected from the group consisting of treated or untreated paper, metal foil, polymeric film, non-polymeric film, cardboard, fiber, cloth, burlap, and laminations or combinations thereof.
- 17. (Once Amended) The preformed sleeve of claim 13 wherein the extendable folds are selected from the group consisting of pleats, folds each having a z-shaped cross section, or accordion-type folds.
- 18. (Once Amended) The preformed sleeve of claim 18 further comprising a portion for serving as a handle or support device.
- (Once Amended) The preformed sleeve of claim 23 wherein the lower portion has a drainage hole.

6

12 (Once Amended) The preformed sleeve of claim +3 wherein the plurality of extendable folds are continuous.

12 (Once Amended) The preformed sleeve of claim 18 wherein the bottom of the lower end of the lower portion is closed.

(Once Amended) A method of/covering a pot having an upper end, a lower end, and an outer perpheral surface, comprising the steps of:

providing a preformed \$leeve comprising:

a base portion having/an upper end, a lower end , and an interior space/ when opened, the base portion initially having a flat condition prior to being opened for redeiving the pot into the interior space and having /a tapered shape when in the flat condition,

a skirt portion extending from the upper end of the base portion, and

a plurality ϕf substantially unconnected, vertically oriented, expandable folds in the base portion; and disposing the pot into the interior space of the base portion wherein pressure is exerted upon the base portion by the pot causing the expandable folds in

the base portion to expand to cause the base portion to cover and surround at least a portion of the outer peripheral surface of the pot.

Once Amended) The method of claim 20 wherein in the step of providing a preformed sleeve, the preformed sleeve further comprises an upper portion extending from the skirt portion and which is detachable therefrom via a detaching element.

24. (Once Amended) The method of claim 20 wherein in the step of providing a preformed sleeve the plurality of expandable folds are continuous between the base portion and the skirt portion.

29. (Once Amended) The method of claim 23 wherein in the step of providing the preformed sleeve the upper portion is sized to substantially surround and enclose a floral grouping disposed within the pot.

Please add the following new claims 26-31:

(New) A preformed sleeve for covering a pot having an upper end, a lower end, and an outer peripheral surface, comprising:

- a base portion having an upper end, a lower end, and an interior space when opened, the base portion initially having a flat condition prior to being opened for receiving the pot into the interior space and having a tapered shape when in the flat condition; and
- a plurality of substantially inconnected, vertically oriented, expandable folds in the base portion, and wherein when the pot is disposed within the interior space of the base portion and pressure is exerted on the base portion by the pot, the expandable folds in the base portion expand to cause the base portion to cover and surround at least a portion of the outer peripheral surface of the pot.
- 32 (New) The preformed sleeve of claim 26 further comprising an upper portion detachable via a detaching element.
 - 28. (New) The preformed sleeve of claim 26 wherein the plurality of expandable folds further comprises a plurality of pleats, a plurality of folds each having a z-shaped cross section, or a plurality of accordion-type folds.

29. (New) The preformed sleeve of claim 26 wherein the lower end of the base portion is closed.

30. (New) A method of covering a pot having an upper end, a lower end, and an outer peripheral surface, comprising the steps of:

providing a preformed sleeve comprising:

a base portion having an upper end, a lower end, and an interior space when opened, the base portion initially having a flat condition prior to being opened for receiving the pot into the interior space and having a tapered shape when in the flat condition; and

a plurality of substantially unconnected, vertically oriented expandable folds in the base portion; and

disposing the pot into the interior space of the base portion of the preformed sleeve wherein pressure is exerted upon the base portion by the pot causing the expandable folds in the base portion to expand to cause the base portion to cover and surround at least a portion of the outer peripheral surface of the pot.